



3		4	
REVISION			
NO.	CHANGE CONTENTS	CHANGE CAUSE	

- NOTES:
- THIS TEST PCB IS FOR MG215M SERIES
 - CONN. MATERIAL
 - MG215M RECEPTACLE
 - HOUSING : Zn (Ni-Plated)
 - SHELL : STS (Ni-Plated)
 - C-CLIP : YCUT (Au-Plated)
 - INSULATOR : LCP
 - 2.92mm(K) CONN.
 - BODY : Bs (Au-Plated)
 - PIN : BeCu (Au-Plated)
 - PCB MATERIAL
 - FR-4
 - Au-Plated
 - ELECTRICAL CHARACTERISTICS
 - FREQUENCY : DC ~ 15GHz
 - IMPEDANCE : Typ. 50Ω
 - RETURN LOSS : MAX. -15dB
 - INSERTION LOSS. : -2.15dB (De-Embedding PCB Loss)
 - CROSSTALK : Typ. -50 dB

No.	PART NO.	DESCRIPTION				Q'TY	MATERIAL	REMARKS	REV.
MATERIAL	*SEE NOTE.2	DRAW	DESIGN	CHECK	APPRO.	TITLE MG215M SERIES TEST BOARD			
FINISH	*SEE NOTE.2	JK.Choi	/	DH.Kang	SC.Cho	P/N TPA2PA3			
TOLERANCE	Decimal Angle	±0.5		22.10.31	22.10.31	22.10.31	SENSORVIEW		
SCALE	2/1 UNITmm	MODEL		MG215M		A4			
REVISION	DRAFT SHEET	1/1							

